



Polycraft Pearlescent 'Copper'

Copper pearlescent pigment based on natural mica and iron oxide. It has medium particle size range of 10-60 microns with a fine sparkle and good opacity. It can be used on its own or in combination with transparent pigments to create a huge variety of effects.

Typical Properties

Particle Size Range:	10-60 microns
Mica Content	48-61%
Metal Oxide Content	39-52%
Density	2.8 – 3.7 g/cm ³
Oil Absorption	40-85 g/100g
pH of Aqueous Slurry	4-11

Storage

Store in original packagin where possible. Store at room temperature out of direct sunlight. Shelf life 24 months.

Disclaimer

Technical Advice provided by MB Fibreglass - Either verbal, in writing or by way of trials - is given in good faith but without warranty, where proprietary rights of third parties are involved this applies also. This does not release you from the obligation to test the products supplied by us to ascertain their suitability for the intended processes and uses. The application, use, handling and processing of the products are outside of our control and therefore entirely your own responsibility

