



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

SDS n° : FP10660

**NORSODYNE H 44281 TA (70361 TA)**

Page 1 / 9

Former date 07-Feb-2013

Revision Date 15-Apr-2013

Version: 2.01

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

Product identifier

**Product name** NORSODYNE H 44281 TA  
**Chemical Name** Unsaturated polyester resin  
**Trade name** NORSODYNE S 70361 TA  
**Pure substance/mixture** Mixture

Relevant identified uses of the substance or mixture and uses advised against

**Sector of use** Resins for composites, Contact us before using for food contact application.

Details of the supplier of the safety data sheet

**Supplier** CCP Composites UK Ltd  
LAPORTE ROAD  
STALLINGBOROUGH, NORTH EAST LINCS. DN41 8DR  
UNITED KINGDOM  
Tel: +44 (0) 1469 572464  
Fax: +44 (0) 1469 572988

For further information, please contact

**E-mail address** Rccp.SDSmanagement@ccpcomposites.com  
**Internet Address** <http://www.ccpcomposites.com>

Emergency telephone number

|   |                      |
|---|----------------------|
| This telephone number is available 24 hours per day, 7 days per week. |                      |
| Europe, America, Middle East, Africa (European language countries) :  | +44 (0) 1235 239 670 |
| Middle East/Africa (Arabic speaking countries) :                      | +44 (0) 1235 239 671 |
| Asia Pacific :  | +65 3158 1074        |

**2. HAZARDS IDENTIFICATION**

**The mixture is classified as dangerous in accordance with Directive 1999/45/EC.**

Classification of the substance or mixture

**Symbol(s)** Xn - Harmful  
**Classification** R10 - Xn;R48/20 - Xn;R20 - Xi;R36/37/38

Label elements

contains Styrene

**Symbol(s)** Xn - Harmful

Former date 07-Feb-2013

Revision Date 15-Apr-2013

Version: 2.01

**R-phrase(s)**

R10 - Flammable

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation

R20 - Harmful by inhalation

R36/37/38 - Irritating to eyes, respiratory system and skin.

**S-phrase(s)**

S16 - Keep away from sources of ignition - No smoking

S33 - Take precautionary measures against static discharges

S 7/9 - Keep container tightly closed and in a well-ventilated place.

**Special labelling of certain mixtures**

contains cobalt octoate. May produce an allergic reaction.

Other hazards**Environmental properties**

Should not be released into the environment.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Hazardous components**

| Chemical Name  | EC-No     | REACH<br>Registration<br>Number | CAS-No   | Weight<br>percent | Classification<br>(67/548)                               | GHS Classification  |
|----------------|-----------|---------------------------------|----------|-------------------|--|---|
| Styrene        | 202-851-5 | 01-2119457861-3<br>2            | 100-42-5 | > 50              | R10<br>Xn; R20<br>Xn; R48/20<br>Xn; R65<br>Xi; R36/37/38 | Flam. Liq. 3 (H226)<br>Eye Irrit. 2 (H319)<br>Acute Tox. 4 (H332)<br>Skin Irrit. 2 (H315)<br>STOT SE 3 (H335)<br>STOT RE 1 (H372)<br>Asp. Tox. 1 (H304) |
| cobalt octoate | 205-250-6 | 01-2119524678-2<br>9            | 136-52-7 | < 1               | R43<br>N; R50/53   | Skin Sens. 1 (H317)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1<br>(H410)  |

For the full text of the R-phrases mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

Description of first aid measures**Eye Contact**

Rinse thoroughly with plenty of water, also under the eyelids  
Keep eye wide open while rinsing  
If symptoms persist, call a physician

**Skin contact**

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes  
If skin irritation persists, call a physician

**Inhalation**

Move to fresh air  
If not breathing, give artificial respiration  
If symptoms persist, call a physician

Former date 07-Feb-2013

Revision Date 15-Apr-2013

Version: 2.01

**Ingestion** Do NOT induce vomiting  
Rinse mouth  
If symptoms persist, call a physician

**Protection of first-aiders** Use personal protective equipment

Most important symptoms/effects, acute and delayed

**Eye Contact** Irritating to eyes

**Skin contact** Irritating to skin

**Inhalation** Harmful by inhalation  
Harmful: danger of serious damage to health by prolonged exposure through inhalation  
Irritating to respiratory system

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Indication of immediate medical attention and special treatment needed, if necessary

**General advice** If symptoms persist, call a physician  
Show this safety data sheet to the doctor in attendance  
Do not breathe dust/fume/gas/mist/vapours/spray

**5. FIRE-FIGHTING MEASURES**Extinguishing media

**Suitable extinguishing media** Cool containers / tanks with water spray, Dry chemical, Foam, Carbon dioxide (CO<sub>2</sub>)

**Extinguishing Media Which Must not be Used for Safety Reasons** Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture

**Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases** Vapours may form explosive mixtures with air  
Most vapours are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks)

Precautions for fire-fighters

**Special protective equipment for fire-fighters** Wear self-contained breathing apparatus and protective suit.

**Other information** Cool containers / tanks with water spray  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures

**Personal precautions** Remove all sources of ignition  
Heat, flames and sparks  
Take precautionary measures against static charges  
Ensure adequate ventilation  
Use personal protective equipment

Former date 07-Feb-2013

Revision Date 15-Apr-2013

Version: 2.01

Environmental precautions

**Environmental precautions** The product should not be allowed to enter drains, water courses or the soil  
Do not flush into surface water or sanitary sewer system

Methods and materials for containment and cleaning up

**Methods for cleaning up** Contain spillage, and then collect with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13)  
Use clean non-sparking tools to collect absorbed material

Reference to other sections

See Section 12 for additional Ecological Information

**7. HANDLING AND STORAGE**Precautions for safe handling

**Precautions for safe handling** Avoid static electricity build up with connection to earth  
Use only in area provided with appropriate exhaust ventilation  
In case of insufficient ventilation, wear suitable respiratory equipment  
Do not eat, drink or smoke when using this product  
Wear personal protective equipment

**Prevention of fire and explosion** Keep away from open flames, hot surfaces and sources of ignition Do not use compressed air for filling, discharging or handling. Empty containers may contain flammable or explosive vapours

**Hygiene measures** When using, do not eat, drink or smoke  
Provide regular cleaning of equipment, work area and clothing

Conditions for safe storage, including any incompatibilities

**Technical measures/Storage conditions** Keep in a dry, cool and well-ventilated place  
Keep at temperature not exceeding 30°C  
Keep away from heat and sources of ignition.

**Materials to avoid** Strong oxidizing agents, Peroxides

**Packageing material** metallic GRP Tanks (Reinforced Glass Polyester)

**Unsuitable materials for containers** Aluminium copper Copper alloys

Specific use(s)**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Control parametersOccupational Exposure limits

| Chemical Name       | European Union | The United Kingdom   | Ireland   |
|---------------------|----------------|--|---|
| Styrene<br>100-42-5 | -              | STEL 250 ppm STEL 1080<br>mg/m <sup>3</sup><br>TWA 100 ppm TWA 430 mg/m <sup>3</sup> | TWA 20 ppm TWA 85 mg/m <sup>3</sup><br>STEL 40 ppm STEL 170 mg/m <sup>3</sup> |

Former date 07-Feb-2013

Revision Date 15-Apr-2013

Version: 2.01

|                            |  |  |                                      |
|----------------------------|--|--|--------------------------------------|
| cobalt octoate<br>136-52-7 |  | STEL 0.3 mg/m <sup>3</sup> TWA 0.1 mg/m <sup>3</sup><br>Sen+ | TWA 0.1 mg/m <sup>3</sup> Sensitizer |
|----------------------------|--|--|--------------------------------------|

**Legend:**

|    |                       |
|----|-----------------------|
| +  | Sensitisers           |
| *  | Skin designation      |
| ** | Hazard Designation    |
| C: | Carcinogen            |
| M: | Mutagen               |
| R: | Toxic to reproduction |

**Biological standards**

| Chemical Name       | European Union | The United Kingdom                               | Ireland  |
|---------------------|----------------|--|--|
| Styrene<br>100-42-5 | -              | We are not aware of any national exposure limit. | We are not aware of any national exposure limit. |

Exposure controls**Occupational exposure controls****Engineering measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Personal protective equipment****General Information**

Use personal protective equipment.

**Respiratory protection**

In case of insufficient ventilation wear suitable respiratory equipment. Breathing apparatus with filter. Type A.

**Eye protection**

Safety glasses with side-shields Do not wear contact lenses

**Skin and body protection**

Antistatic boots. Wear fire/flame resistant/retardant clothing.

**Hand protection**

Impervious gloves , Glove material : Neoprene , Nitriles , Viton (R) or Polyvinyl alcohol  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Environmental exposure controls**

**Environmental exposure controls** Do not allow material to contaminate ground water system.

**9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties

| <u>Property</u>                 | <u>Values</u> | <u>Remark</u>     |
|---------------------------------|---------------|-------------------|
| <b>Appearance</b>               | light yellow  |                   |
| <b>Physical state</b>           | Liquid        |                   |
| <b>Particle size</b>            |               | no data available |
| <b>Odour</b>                    | Styrene       |                   |
| <b>Odour Threshold</b>          |               | no data available |
| <b>pH</b>                       |               | no data available |
| <b>pH (as aqueous solution)</b> |               | no data available |
| <b>Melting point/range</b>      |               | no data available |
| <b>Freezing point</b>           |               | no data available |

Former date 07-Feb-2013

Revision Date 15-Apr-2013

Version: 2.01

|   |                    |                   |
|---|--------------------|-------------------|
| <b>Boiling point</b>                              |                    | no data available |
| <b>Flash point</b>                                | 31 °C              |                   |
| <b>Evaporation rate</b>                           |                    | no data available |
| <b>Flammability Limits in Air</b>                 |                    |                   |
| <b>upper</b>                                      | -                  |                   |
| <b>lower</b>                                      | -                  |                   |
| <b>Vapour pressure</b>                            | 6 hPa              | 20°C              |
| <b>Vapour density</b>                             |                    | no data available |
| <b>Density</b>                                    |                    | no data available |
| <b>Water solubility</b>                           | Insoluble in water |                   |
| <b>Partition coefficient:<br/>n-octanol/water</b> |                    | no data available |
| <b>Autoignition temperature</b>                   |                    | no data available |
| <b>Decomposition temperature</b>                  |                    | no data available |
| <b>Viscosity</b>                                  | 650 mPa.s          | 23°C              |
| <b>Explosive properties</b>                       |                    | no data available |
| <b>Oxidizing properties</b>                       |                    | no data available |

Other information

| <u>Property</u>                     | <u>Values</u>                    | <u>Remark</u> |
|-------------------------------------|----------------------------------|---------------|
| <b>Solubility in other solvents</b> | Soluble in most organic solvents |               |

## 10. STABILITY AND REACTIVITY

Reactivity**Reactivity** No information availableChemical stability**Stability** Stable under recommended storage conditions.Possibility of hazardous reactions**Hazardous polymerisation** Polymerisation can occur.Conditions to avoid

**Conditions to avoid** Heat, flames and sparks  
Exposure to light  
Take precautionary measures against static charges.

Incompatible materials**Materials to avoid** Strong oxidizing agents, PeroxidesHazardous decomposition products**Hazardous decomposition products** Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

## 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

## Acute toxicity - Product Information

**Inhalation** Harmful by inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Irritating to respiratory system.**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

## Local effects

**Inhalation** Harmful by inhalation Harmful: danger of serious damage to health by prolonged exposure through inhalation Irritating to respiratory system**Skin contact** Irritating to skin

Former date 07-Feb-2013

Revision Date 15-Apr-2013

Version: 2.01

|                               |  |
|-------------------------------|--|
| <b>Eye Contact</b>            | Irritating to eyes   |
| Sensitisation                 |  |
| <b>Inhalation</b>             | None   |
| <b>Skin contact</b>           | May produce an allergic reaction.  |
| Chronic toxicity              |  |
| <b>Target Organ Effects</b>   | Central nervous system (CNS). Reproductive System. Respiratory system. Eyes. Liver. Skin.  |
| Specific effects              |  |
| <b>Carcinogenicity</b>        | Animal testing did not show any carcinogenic effects.                                      |
| <b>Mutagenic Effects</b>      | Animal testing did not show any mutagenic effects  |
| <b>Reproductive toxicity</b>  | Animal testing did not show any effects on fertility                                       |
| <b>Developmental Toxicity</b> | Animal studies did not show statistically significant developmental toxicological effects. |

## Acute toxicity - Component Information

| Chemical Name  | LD50 Oral           | LD50 Dermal           | LC50 Inhalation     |
|----------------|---------------------|-----------------------|---------------------|
| Styrene        | > 2000 mg/kg (Rat)  |                       | 11.8 mg/L (Rat) 4 h |
| cobalt octoate | 3129 mg/kg/bw (Rat) | > 2000 mg/kg/bw (Rat) |                     |

## 12. ECOLOGICAL INFORMATION

Toxicity

Do not flush into surface water or sanitary sewer system.

| Chemical Name       | Toxicity to algae       | Toxicity to daphnia and other aquatic invertebrates. | Toxicity to fish                | Toxicity to microorganisms |
|---------------------|-------------------------|--|---------------------------------|----------------------------|
| Styrene<br>100-42-5 | LC50 Algae 72h 4.9 mg/L | EC50 Daphnia magna 48h<br>4.7 mg/L                   | LC50 Fish 96h 4.02 - 10<br>mg/L |                            |

Persistence and degradability

No information available.

Bioaccumulative potential**Partition coefficient:  
n-octanol/water**

| Chemical Name      | log Pow |
|--------------------|---------|
| Styrene - 100-42-5 | 3       |

Mobility in soil

No information available.

Results of PBT and vPvB assessment

No information available.

Other adverse effects

None known.

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods**Waste from Residues/Unused Products** Dispose of in accordance with the European Directives on waste and hazardous waste.**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Former date 07-Feb-2013

Revision Date 15-Apr-2013

Version: 2.01

**Other information**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific  
Waste codes should be assigned by the user based on the application for which the product was used.

**14. TRANSPORT INFORMATION**ADR/RID

|                                       |  |
|---------------------------------------|--|
| <b>UN-No</b>                          | UN1866                                   |
| <b>Hazard class</b>                   | 3  |
| <b>Proper shipping name</b>           | Resin solution                           |
| <b>Packing group</b>                  | III                                      |
| <b>Classification Code</b>            | F1                                       |
| <b>Tunnel restriction code</b>        | (D/E)                                    |
| <b>ADR Hazard Id (Kemmler Number)</b> | 30                                       |
| <b>Description</b>                    | UN1866, RESIN SOLUTION, 3, PG III, (D/E) |
| <b>Limited quantity</b>               | LQ7                                      |

IMDG/IMO

|                             |  |
|-----------------------------|--|
| <b>UN-No</b>                | UN1866   |
| <b>Hazard class</b>         | 3  |
| <b>Proper shipping name</b> | Resin solution                                 |
| <b>Packing group</b>        | III  |
| <b>Marine pollutant</b>     | NP   |
| <b>EmS</b>                  | F-E, S-E                                       |
| <b>Description</b>          | UN1866, RESIN SOLUTION, 3, PG III, (31°C c.c.) |
| <b>Limited quantity</b>     | 5 L  |

ICAO/IATA

|                         |                                   |
|-------------------------|-----------------------------------|
| <b>UN-No</b>            | UN1866                            |
| <b>Hazard class</b>     | 3                                 |
| <b>Packing group</b>    | III                               |
| <b>ERG Code</b>         | 3L                                |
| <b>Description</b>      | UN1866, RESIN SOLUTION, 3, PG III |
| <b>Limited quantity</b> | 10 L                              |

ADN

|                            |                                   |
|----------------------------|-----------------------------------|
| <b>UN-No</b>               | UN1866                            |
| <b>Hazard class</b>        | 3                                 |
| <b>Packing group</b>       | III                               |
| <b>Classification Code</b> | F1                                |
| <b>Special Provisions</b>  | 640E                              |
| <b>Description</b>         | UN1866, RESIN SOLUTION, 3, PG III |
| <b>Limited quantity</b>    | LQ7                               |
| <b>Ventilation</b>         | VE01                              |

**15. REGULATORY INFORMATION**

**The mixture is classified as dangerous in accordance with Directive 1999/45/EC.**

Safety, health and environmental regulations/legislation specific for the substance or mixture



Former date 07-Feb-2013

Revision Date 15-Apr-2013

Version: 2.01

**European Union**

| Chemical Name      | 96/82/EC (SEVESO) - §9 | 96/82/EC (SEVESO) - §6, §7 |
|--------------------|------------------------|----------------------------|
| Styrene - 100-42-5 | 50000                  | 5000 tonne<br>50000 tonne  |

**National regulatory information****The United Kingdom**

Avoid exceeding of the given occupational exposure limits (see section 8).

**Ireland**

Avoid exceeding of the given occupational exposure limits (see section 8).

**Chemical Safety Assessment**

No information available

**16. OTHER INFORMATION****Full text of R-phrases referred to under sections 2 and 3**

R10 - Flammable

R20 - Harmful by inhalation

R65 - Harmful: may cause lung damage if swallowed

R43 - May cause sensitisation by skin contact

R38 - Irritating to skin

R36/37/38 - Irritating to eyes, respiratory system and skin

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Former date** 07-Feb-2013**Revision Date** 15-Apr-2013**Revision Note** not applicable.**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**