

# Hempel's Teak Cleaner

## Product characteristics

### Description

Hempel's Teak Cleaner is a cleaning powder for teak. Especially suited for large areas like decks.

### Recommended use

Hempel's Teak Cleaner is for use on new wood as well as on previously treated wood, interior and exterior, above the waterline.

### Features

## Product safety

### VOC content

Legislation	Value
EU	0 g/L [0.00 lb/US gal]

According to specific legislation, see details in the Explanatory Notes available at Hempel website, [hempel.com](http://hempel.com) or at your local Hempel website.

### Handling

Handle with care. Before and during use, observe safety labels on packaging and paint containers and follow all local and national safety regulations. Always consult Hempel's Safety Data Sheet for this product along with the Product Data Sheet.

## Product data

### Product code

67543

### Standard shade / code

Light grey 99980

### Volume solids

100 ± 2%

### Specific gravity

1.8 kg/L [15 lb/US gal]

## Surface preparation

### Cleanliness

- Remove oil, grease and other contaminants by suitable detergent cleaning.

## Application

### Cleaner

(Not defined)

### Application method

Tool	Application parameters
Brush	Not Applicable.

Do not apply in direct sunlight. Do not use thinner in conjunction with this product.

### Application conditions

- To avoid condensation, apply on a clean and dry surface with a temperature that is at least 3°C [5°F] above the dew point.

# Hempel's Teak Cleaner

## Application remarks

- Wet the surface with fresh water.
- Apply a layer of the product.
- Distribute the powder in a uniform layer with a brush. The surface must be sufficiently wet to keep the powder moist.
- After 10-15 minutes while the paste is still moist, scrub using a stiff brush. Clean the surface thoroughly with clean fresh water before the paste hardens. Treatment may be repeated if necessary.
- Product contains acidic components. Stainless steel parts should be protected to avoid discolouration.

## Drying and overcoating

### Product compatibility

- Previous coat: None.
- Subsequent coat: Recommended products are: Hempel's Teak Colour Restorer, Hempel's Teak oil

### Overcoating details

- One coat normally recommended.

## Storage

### Shelf life

<b>Ambient temperature</b>	<b>25°C</b> [77°F]
----------------------------	-----------------------

Product	60 months
---------	-----------

Shelf life from date of production, when stored in original, unopened containers. Thereafter, the product quality must be re-inspected. Always check the best before date or expiry date on the label.

### Storage conditions

- Product must be stored according to local legislation, at 5°C [41°F] without direct sunlight and protected from rain and snow.

## Additional documents

Additional information is available at the Hempel website [hempel.com](http://hempel.com) or at your local Hempel website:

- Explanatory Notes explaining the fields in this Product Data Sheet.
- Surface Preparation Guidelines.
- Application Guidelines for different application methods.
- Further information: Hempel Yacht Paint Manual and [hempelyacht.com](http://hempelyacht.com)

This Product Data Sheet ("PDS") relates to the supplied product ("Product") and is subject to updating from time-to-time. Accordingly, the buyer/applicator should have regard to the PDS supplied together with the relevant batch of the Product (and not an earlier version). In addition to the PDS, the buyer/applicator may receive some or all of the following specifications, statements and/or guidelines as listed below or as are available from the Hempel website under 'Products' at [www.hempel.com](http://www.hempel.com) (the "Additional documents"):

No.	Document description	Location/comments
1.	Technical Statement	One-off specific advice provided on request for specific projects
2.	Specification	Only issued for specific projects
3.	PDS	This document
4.	Explanatory Notes to the PDS	Available at <a href="http://www.hempel.com">www.hempel.com</a> and contain relevant information about the Product testing parameters
5.	Application Instruction	Where available, at <a href="http://www.hempel.com">www.hempel.com</a>
6.	Generic technical guidelines (e.g. on application and surface preparation)	Where available, at <a href="http://www.hempel.com">www.hempel.com</a>

In the event of a conflict of information between the PDS and the Additional documents, the order of priority of information shall be in the order as set out above. In such event you should also contact your representative at Hempel for clarification. Furthermore, the buyer/applicator must have full regard to the relevant Safety Data Sheet provided with each Product and which can also be downloaded from [www.hempel.com](http://www.hempel.com).

Hempel shall not be liable for defects where the application of the Product has not been made fully in accordance with the recommendations and requirements set out in the relevant PDS and the Additional Documents. The information and terms of this disclaimer apply to this PDS, the Additional documents and any other documents supplied by Hempel in respect of the Product. In addition, the Product is supplied and all technical assistance is given subject to Hempel's General Conditions of Sale, Delivery and Service, unless otherwise expressly agreed in writing.