

# SAFETY DATA SHEET

## Polyfoam Rigid 500 Part B

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name Polyfoam Rigid 500 Part B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised

**against** Identified uses non-volatile prepolymeric isocyanate

#### 1.3. Details of the supplier of the safety data sheet

Supplier MB Fibreglass  
Unit 17 & 20 Abbey Business  
Park Mill Road  
Newtownabbey  
Co. Antrim  
BT36 7EE  
Tel: 02890 861992  
Email: sales@mbfg.co.uk

#### 1.4. Emergency telephone number

02890 861992 (Office Hours Only)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H332; Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Resp. Sens. 1 - H334; STOT SE 3 - H335
Environment	Not classified.

Classification (1999/45/EEC)

Xn; R20. R42. Xi; R36/37/38.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### 2.2. Label elements

Contains DIPHENYLMETHANEDIISOCYANATE -Isomers & homologues

Label In Accordance With (EC) No. 1272/2008



Signal Word

Danger

Hazard Statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Precautionary Statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P285	In case of inadequate ventilation wear respiratory protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Polyfoam Rigid 500 Part B

P313	Get medical advice/attention.
P342+311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P501	Dispose of contents/container to ...
Supplementary Precautionary Statements	
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing vapour/spray.
P264	Wash contaminated skin thoroughly after handling.
P321	Specific treatment (see medical advice on this label).
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P304+341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P332+313	If skin irritation occurs: Get medical advice/attention.
P337	If eye irritation persists:
P362	Take off contaminated clothing and wash before reuse.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
Supplemental label information	
EUH204	Contains isocyanates. May produce an allergic reaction.

### **2.3. Other hazards**

Not Classified as PBT/vPvB by current EU criteria.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### **3.2. Mixtures**

DIPHENYLMETHANEDIISOCYANATE -Isomers & homologues		60-100%
CAS-No.: 9016-87-9	EC No.:	
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Xn;R20. Xi;R36/37/38. R42.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### **4.1. Description of first aid measures**

#### Inhalation

Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention. Perform artificial respiration if breathing has stopped. Get medical attention if any discomfort continues.

#### Ingestion

DO NOT induce vomiting. Get medical attention immediately. Immediately rinse mouth and provide fresh air. Get medical attention if any discomfort continues.

#### Skin contact

Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if irritation persists after washing.

#### Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

### **4.2. Most important symptoms and effects, both acute and delayed**

#### Inhalation

No specific symptoms noted.

### **4.3. Indication of any immediate medical attention and special treatment needed**

## Polyfoam Rigid 500 Part B

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Extinguishing media

Fire can be extinguished using: Dry chemicals, sand, dolomite etc. Carbon dioxide or dry powder. DO NOT use water if avoidable.

Unsuitable extinguishing media

DO NOT use water if avoidable.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

If heated, vapours/gases hazardous to health (e.g. CO, NOx, HCl, isocyanates) may be formed.

#### 5.3. Advice for firefighters

Special Fire Fighting Procedures

Keep run-off water out of sewers and water sources. Dike for water control. Use water SPRAY only to cool containers! Do not put water on leaked material. Use pressurised air mask if product is involved in a fire.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Do not breathe vapour.

#### 6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground. Collect and dispose of spillage as indicated in section 13.

#### 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. DO NOT touch spilled material! Clean-up personnel should use respiratory and/or liquid contact protection. Avoid water on spilled material or leaking containers. Dam and absorb spillage with sand, sawdust or other absorbent.

#### 6.4. Reference to other sections

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level. Read and follow manufacturer's recommendations.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in original container. Store at moderate temperatures in dry, well ventilated area. Protect from freezing and direct sunlight.

Storage Class

Chemical storage.

#### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
DIPHENYLMETHANEDIISOCYANATE -Isomers & homologues	WEL		0.02 mg/m3(Sen)		0.07 mg/m3(Sen)	

WEL = Workplace Exposure Limit.

#### 8.2. Exposure controls

Protective equipment

# Polyfoam Rigid 500 Part B



## Process conditions

Use engineering controls to reduce air contamination to permissible exposure level.

## Engineering measures

Provide adequate general and local exhaust ventilation.

## Hand protection

Use protective gloves made of: Nitrile. Neoprene. Rubber (natural, latex). Chemical resistant gloves required for prolonged or repeated contact.

## Eye protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

## Other Protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

## Hygiene measures

Wash promptly with soap & water if skin becomes contaminated. Eating, smoking and water fountains prohibited in immediate work area. DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Brown.
Odour	Mild. or Slight odour.
Solubility	Insoluble in water Hardens in contact with water. Soluble in: Organic solvents.

### 9.2. Other information

No information required.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reaction with: Amines. Alcohols, glycols. The product will harden into a hard mass in contact with water and moisture.

### 10.2. Chemical stability

No particular stability concerns.

### 10.3. Possibility of hazardous reactions

Hazardous Polymerisation

May polymerise.

### 10.4. Conditions to avoid

Avoid contact with water.

### 10.5. Incompatible materials

Materials To Avoid

Alcohols, glycols. Amines. Water, steam, water mixtures.

### 10.6. Hazardous decomposition products

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### General information

Prolonged and repeated contact with solvents over a long period may lead to permanent health problems. Preparation contains small volumes of isocyanate which may cause allergic reaction and irritation of respiratory system.

# Polyfoam Rigid 500 Part B

Route of entry  
Inhalation. Skin and/or eye contact.  
Target Organs  
Respiratory system, lungs Skin

## SECTION 12: ECOLOGICAL INFORMATION

### **12.1. Toxicity**

Little danger to the environment. The cured polymer degrades very slowly in nature.

### **12.2. Persistence and degradability**

Degradability  
The product is not readily biodegradable.

### **12.3. Bioaccumulative potential**

Bioaccumulative potential  
The product is not bioaccumulating.

### **12.4. Mobility in soil**

Mobility:  
This product rapidly cures on exposure to atmospheric moisture to form an inert solid.

### **12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

### **12.6. Other adverse effects**

## SECTION 13: DISPOSAL CONSIDERATIONS

General information  
Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements. Contact specialist disposal companies. Empty containers should be decontaminated using a dilute solution of ammonia and detergent. DO NOT SEAL DECONTAMINATED CONTAINERS.

## SECTION 14: TRANSPORT INFORMATION

General	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road Transport Notes	Not Classified

### **14.1. UN number**

Not applicable.

### **14.2. UN proper shipping name**

Not applicable.

### **14.3. Transport hazard class(es)**

Transport Labels  
No transport warning sign required.

### **14.4. Packing group**

Not applicable.

### **14.5. Environmental hazards**

Environmentally Hazardous Substance/Marine Pollutant  
No.

# Polyfoam Rigid 500 Part B

## 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations.

Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

National Regulations

Workplace Exposure Limits 2005 (EH40)

Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are noted for this product.

Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions of use are noted for this product.

### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

## SECTION 16: OTHER INFORMATION

General information

Only trained personnel should use this material. This product is intended for use for the applications set out in the Technical Data Sheet Only. The information set out in this SAFETY DATA SHEET must be made available to all personnel who use or may be exposed to this product.

Revision 007

Date 16/04/2015

Risk Phrases In Full

R20 Harmful by inhalation.

R36/37/38 Irritating to eyes, respiratory system and skin.

R42 May cause sensitisation by inhalation.

### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.