PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.5 Revision Date: 21.02.2007

DOW CORNING(R) 3120 RTV SILICONE RUBBER (BASE information is below)

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

Trade name	:	DOW CORNING(R) 3120 RTV SI	LICONE RUBBER (BASE information is below)	
Company	:	Dow Corning S.A. rue Jules Bordet - Parc Industriel - Zone C B-7180 Seneffe Belgium		
Service	:	Dow Corning Central Europe	Tel: +49 6112371 Fax: +49 611237609	
		Dow Corning Northern Europe	Tel: +44 1676528000 Fax: +44 1676528001	
		Dow Corning Southern Europe	Tel: +33 472841360 Fax: +33 472841379	
Emergency Phone Number	:	Dow Corning (Barry U.K. 24h) Dow Corning (Wiesbaden 24h) Dow Corning (Seneffe 24h)	Tel: +44 1446732350 Tel: +49 61122158 Tel: +32 64 888240	
Use of the substance/preparation	:	Polymers		

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Silicone elastomer

Hazardous Ingredients:

Name	CAS-No.	EINECS/ ELINCS No.	Conc. (% w/w)	Classification	
Iron oxide	1332-37-2	215-570-8	30.0		
Diatomaceous Earth, Flux Calcined	68855-54-9	272-489-0	17.0	Xn	R48/20 R68/20
Cristobalite	14464-46-1	238-455-4	<=12.0	Xn	R48/20 R68/20
Tetrapropyl orthosilicate	682-01-9	211-659-0	3.0	Xi	R36/38
Iron hydroxide oxide yellow	51274-00-1	257-098-5	<=1.0		

3. HAZARDS IDENTIFICATION

Not hazardous according to Council Directive 1999/45/EC and its subsequent amendments.

4. FIRST AID MEASURES On contact with eyes : No first aid should be needed. On skin contact : No first aid should be needed. 1 of 6

PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.5 Revision Date: 21.02.2007

DOW CORNING(R) 3120 RTV SILICONE RUBBER (BASE information is below)

If inhaled	:	No first aid should be needed.
On ingestion	:	No first aid should be needed.

5. FIRE FIGHTING MEASURI	ES	
Suitable extinguishing media	:	Carbon dioxide, foam, dry powder or fine water spray. Water can be used to cool fire exposed containers.
Unsuitable extinguishing media	:	None known.
Hazards during fire fighting	:	None known.
Special protective equipment/procedures	:	A self-contained respirator and protective clothing should be worn. Keep containers cool with water spray until well after the fire is out. Determine the need to evacuate or isolate the area according to your local emergency plan.
Hazardous Combustion Products	:	Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Quartz.

6. ACCIDENTAL RELEASE	MEA	SURES
Personal precautions	:	Wear proper protective equipment.
Precautions to protect the environment	:	Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other appropriate barriers.
Methods for cleaning up	:	Determine the need to evacuate or isolate the area according to your local emergency plan. Very large spills should be contained by bunding, etc procedures. Mop, wipe or soak up with absorbent material and place in a container with a lid. The spilled product produces an extremely slippery surface.

7. HANDLING AND STORA	GE	
Advice on safe handling	:	Avoid eye contact. General ventilation is recommended.
Advice on storage	:	Do not store with oxidizing agents.
Specific uses	:	Refer to technical data sheet available on request.
Unsuitable packaging materials	:	None known.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION 2 of 6

PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.5 Revision Date: 21.02.2007

DOW CORNING(R) 3120 RTV SILICONE RUBBER (BASE information is below)

Engineering Controls	: Ventilation :	Refer to Section 7		
Exposure controls for hazard	lous components			
Name	CAS-No.	Exposure Limits		
Iron oxide	1332-37-2	5 mg/m3 (OEL, 8h TWA) respirable dust; 10mg/m3 (OEL, 8h TWA) total inhalable dust.		
Diatomaceous Earth, Flux Calcined	68855-54-9	1.2 mg/m3 TWA Respirable dust.		
Cristobalite	14464-46-1	0.3 mg/m3 TWA Inhalable dust.		
Iron hydroxide oxide yellow	51274-00-1	5 mg/m3 (OEL, 8h TWA) respirable dust; 10mg/m3 (OEL, 8h TWA) total inhalable dust.		
Personal protection equipme	<u>nt</u>			
Respiratory protection	aerosol or mi A filtering ha Recommende The choice o	A suitable respirator must be worn if the product is used in any circumstances where an aerosol or mist may be generated, such as during spraying or similar activities. A filtering half mask is recommended. Recommended Filter type: P The choice of a filter type depends on the amount and type of chemical being handled in the workplace. Regarding filter characteristics, contact your respiratory protection supplier.		
Hand protection	: Gloves are no	Gloves are not normally required.		
Eye protection	: Safety glasse	Safety glasses should be worn.		
Skin protection	: Protective eq	Protective equipment is not normally necessary.		
Hygiene measures		Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.		
Environmental exposure controls	: Refer to secti	Refer to section 6 and 12.		
Additional information	aerosol/spray regarding the to the guidan aerosol applie	tions are for room temperature handling. Use at elevated temperature or applications may require added precautions. For further information use of silicones / organic oils in consumer aerosol applications, please refer ce document regarding the use of these types of materials in consumer cations that has been developed by the silicone industry (www.SEHSC.com) be Dow Corning customer service group.		

9. PHYSICAL	AND CHEMICAL	PROPERTIES				
<u>Appearance</u>						
Form:	Viscous Liquid	Colour:	Red	Odour:	Slight	
			3 of 6			

Version: 1.5 Revision Date: 21.02.2007

DOW CORNING(R) 3120 RTV SILICONE RUBBER (BASE information is below)

Important health, safety and environmental information				
Boiling point/range	:	> 65 °C		
Flash point	:	> 100 °C (Closed Cup)		
Explosive properties	:	No		
Specific Gravity	:	1.48		
Viscosity	:	27,500 mPa s at 25°C.		
Oxidizing properties	:	No		

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACT	IVIT	Y
Stability	:	Stable under normal usage conditions.
Conditions to avoid	:	None established.
Materials to avoid	:	Can react with strong oxidising agents.
Hazardous decomposition products	:	Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Quartz.

11. TOXICOLOGICAL INF	FORMATION
On contact with eyes	: May cause temporary discomfort.
On skin contact	: No adverse effects are normally expected.
If inhaled	: No adverse effects are normally expected.
On ingestion	: No adverse effects are normally expected.
Other Health Hazard Information	: Human health hazards associated with quartz (silica, crystalline respirable dust) and oth fibrogenic dusts arise following inhalational exposure to respirable particles. Quartz in the present formulation (uncured or cured) is not available in a respirable form. Product may emit formaldehyde vapour at temperatures above 180°C in the presence o air. Formaldehyde vapour is a suspected carcinogen, toxic byinhalation and irritating to eyes and the respiratory system. Exposure limits should be strictly respected.

¹ Based on product test data.

² Based on test data from similar products.

12. ECOLOGICAL INFORMATION

Environmental fate and distribution

Version: 1.5 Revision Date: 21.02.2007

DOW CORNING(R) 3120 RTV SILICONE RUBBER (BASE information is below)

Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded.

Ecotoxicity effects

No adverse effects on aquatic organisms.

Bioaccumulation : No bioaccumulation potential.

Fate and effects in waste water treatment plants

Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD.

Additional environmental information

Additional environmental information on the silicone component is available on request.

13. DISPOSAL CONSIDE	TIONS
Product disposal	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Packaging disposal	: Dispose of in accordance with local regulations. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION

Road / Rail (ADR/RID)

Not subject to ADR/RID.

Sea transport (IMDG)

Not subject to IMDG code.

Air transport (IATA)

Not subject to IATA regulations.

15. REGULATORY INFORMATION

Labelling according to EEC Directive

No special packaging or labelling requirements.

National legislation / regulations

Ozone depleting : No ozone depleting chemicals are present or used in manufacture. **chemicals**

Version: 1.5 Revision Date: 21.02.2007

DOW CORNING(R) 3120 RTV SILICONE RUBBER (BASE information is below)

<u>Status</u>

EINECS

: All ingredients listed or exempt.

TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with Commission Directive 91/155/EEC, 67/548/EEC and 1999/45/EC as well as their relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with Commission Directive 1999/45/EC.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

R36/38 Irritating to eyes and skin., **R48/20** Harmful: danger of serious damage to health by prolonged exposure through inhalation., **R68/20** Harmful: possible risk of irreversible effects through inhalation.