

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Chemlease® 2185

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Release agent

1.3 Details of the supplier of the safety data sheet

Company : Chem-Trend (Deutschland) GmbH
Ganghoferstr. 47
D-82216 Maisach-Gernlinden
Tel.: 0049 (0) 8142417-0
Fax.: 0049 (0) 814215884

E-mail address of person responsible for the SDS : mcm@chemtrend.de
National contact :

1.4 Emergency telephone number

Emergency telephone number : 0049 (0) 8142417-1169

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Chronic aquatic toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)





SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version 2.1 Revision Date: 25.02.2019 Date of last issue: 12.05.2015 Print Date: 26.02.2019
Date of first issue: 12.02.2014

Hazard pictograms	:				
Signal word	:	Danger			
Hazard statements	:	H225 H304	Highly flammable liquid and vapour. May be fatal if swallowed and enters air-ways.		
		H315 H336 H411	Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.		
Precautionary statements	:	Prevention:			
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
		P240	Ground and bond container and receiving equipment.		
		P261 P271	Avoid breathing mist or vapours. Use only outdoors or in a well-ventilated area.		
		P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.		
		Response:			
		P301 + P330 + P331 + P310	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.		
		P302 + P352	IF ON SKIN: Wash with plenty of soap and water.		

Hazardous components which must be listed on the label:
low boiling point modified naphtha

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version
2.1

Revision Date:
25.02.2019

Date of last issue: 12.05.2015
Date of first issue: 12.02.2014

Print Date:
26.02.2019

	Registration number			
low boiling point modified naphtha	64741-66-8 921-728-3 649-276-00-X 01-2119471305-42-0011	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 50 - < 70
Distillates (petroleum), hydrotreated light; Kerosine -unspecified	64742-47-8 926-141-6 649-422-00-2 01-2119484819-18-0023	Flam. Liq.3; H226 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 10 - < 20
Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha	64742-48-9 265-150-3 649-327-00-6	Flam. Liq.3; H226 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 10 - < 20
low boiling point naphtha	64742-89-8 265-192-2 649-267-00-0	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	Note P	>= 2.5 - < 10
2,2,4-trimethylpentane	540-84-1 208-759-1 601-009-00-8	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/ Note C	>= 0.1 - < 0.25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Call a physician or poison control centre immediately.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respira-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

- tion.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
In case of contact, immediately flush skin with plenty of water.
Get medical attention if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
Seek medical advice.
- If swallowed : If accidentally swallowed obtain immediate medical attention.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Aspiration hazard if swallowed - can enter lungs and cause damage.
- Move the victim to fresh air.
- Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Fire may cause evolution of:
- Do not let product enter drains.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version 2.1	Revision Date: 25.02.2019	Date of last issue: 12.05.2015 Date of first issue: 12.02.2014	Print Date: 26.02.2019
----------------	------------------------------	---	---------------------------

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Use only in an area containing explosion proof equipment.
Do not use in areas without adequate ventilation.
Do not breathe vapours/dust.
In case of insufficient ventilation, wear suitable respiratory equipment.
Avoid contact with skin and eyes.
For personal protection see section 8.
Keep away from fire, sparks and heated surfaces.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Ensure all equipment is electrically grounded before beginning transfer operations.
Do not ingest.
Do not use sparking tools.
Do not enter areas where used or stored until adequately ventilated.
Do not repack.
Do not re-use empty containers.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.
Avoid inhalation of vapour or mist.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place. To maintain product quality, do not store in heat or direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

- Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

- Eye protection : Safety glasses with side-shields conforming to EN166
- Hand protection
- Material : Nitrile rubber
 - Protective index : Class 1
- Remarks : Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Filter type A-P
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : colourless
- Odour : solvent-like
- Odour Threshold : No data available
- pH : No data available
- Melting point/range : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

Boiling point/boiling range : 119 - 139 °C

Flash point : 8 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : 7.0 %(V)

Lower explosion limit : 0.6 %(V)

Vapour pressure : 17 hPa (20 °C)

Relative vapour density : No data available

Density : 0.73 g/cm³

Bulk density : No data available

Solubility(ies)

 Water solubility : immiscible

 Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : > 200 °C

Decomposition temperature : No data available

Viscosity

 Viscosity, dynamic : No data available

 Viscosity, kinematic : < 7 mm²/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Strong sunlight for prolonged periods.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

>150 °C small quantities of formaldehyde may be formed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: Effects due to ingestion may include:
Symptoms: Central nervous system depression

Acute inhalation toxicity : Remarks: Respiration of solvent vapour may cause dizziness.
Symptoms: Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo,
Central nervous system depression, Inhalation may provoke
the following symptoms:

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

low boiling point modified naphtha:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Distillates (petroleum), hydrotreated light; Kerosine -unspecified:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

low boiling point naphtha:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

2,2,4-trimethylpentane:

Acute oral toxicity : (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Product:

Remarks: Irritating to skin.

Components:

low boiling point modified naphtha:

Result: Skin irritation

Distillates (petroleum), hydrotreated light; Kerosine -unspecified:

Species: Rabbit

Result: Skin irritation

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:

Result: Repeated exposure may cause skin dryness or cracking.

low boiling point naphtha:

Result: Skin irritation

2,2,4-trimethylpentane:

Species: Rabbit

Method: Draize Test

Result: Skin irritation

Serious eye damage/eye irritation

Product:

Remarks: Contact with eyes may cause irritation.

Respiratory or skin sensitisation

Product:

Remarks: This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version 2.1	Revision Date: 25.02.2019	Date of last issue: 12.05.2015 Date of first issue: 12.02.2014	Print Date: 26.02.2019
----------------	------------------------------	---	---------------------------

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Product:

Remarks: No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Components:

low boiling point modified naphtha:

Assessment: May cause drowsiness or dizziness.

Distillates (petroleum), hydrotreated light; Kerosine -unspecified:

Exposure routes: Inhalation

Assessment: May cause drowsiness or dizziness.

low boiling point naphtha:

Assessment: May cause drowsiness or dizziness.

2,2,4-trimethylpentane:

Target Organs: Narcotic effects

Assessment: May cause drowsiness or dizziness.

Repeated dose toxicity

Product:

Remarks: This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:

low boiling point modified naphtha:

May be fatal if swallowed and enters airways.

Distillates (petroleum), hydrotreated light; Kerosine -unspecified:

May be fatal if swallowed and enters airways.

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:

May be fatal if swallowed and enters airways.

low boiling point naphtha:

May be fatal if swallowed and enters airways.

2,2,4-trimethylpentane:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

Components:

low boiling point modified naphtha:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h

Distillates (petroleum), hydrotreated light; Kerosine -unspecified:

Toxicity to fish (Chronic toxicity) : NOEC: 0.098 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

low boiling point naphtha:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

2,2,4-trimethylpentane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 18.4 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.4 mg/l
Exposure time: 48 h
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

low boiling point modified naphtha:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

Biodegradability : Result: Not readily biodegradable.

Distillates (petroleum), hydrotreated light; Kerosine -unspecified:

Biodegradability : Result: rapidly biodegradable

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:

Biodegradability : Result: Readily biodegradable.

low boiling point naphtha:

Biodegradability : Remarks: No data available

2,2,4-trimethylpentane:

Biodegradability : Remarks: The solvent is biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

low boiling point modified naphtha:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

Distillates (petroleum), hydrotreated light; Kerosine -unspecified:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

low boiling point naphtha:

Bioaccumulation : Remarks: No data available

Partition coefficient: n- : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

octanol/water

2,2,4-trimethylpentane:

Bioaccumulation : Bioconcentration factor (BCF): 231

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

SECTION 14: Transport information

14.1 UN number

ADR : UN 1993

IMDG : UN 1993

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

IATA : UN 1993

14.2 UN proper shipping name

ADR : FLAMMABLE LIQUID, N.O.S.
(low boiling point modified naphtha, distillates (petroleum), hydrotreated light)

IMDG : FLAMMABLE LIQUID, N.O.S.
(low boiling point modified naphtha, distillates (petroleum), hydrotreated light)

IATA : Flammable liquid, n.o.s.
(low boiling point modified naphtha, distillates (petroleum), hydrotreated light)

14.3 Transport hazard class(es)

ADR : 3

IMDG : 3

IATA : 3

14.4 Packing group

ADR
Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : (D/E)

IMDG
Packing group : II
Labels : 3
EmS Code : F-E, S-E

IATA (Cargo)
Packing instruction (cargo aircraft) : 364
Packing instruction (LQ) : Y341
Packing group : II
Labels : Flammable Liquids

IATA (Passenger)
Packing instruction (passenger aircraft) : 353
Packing instruction (LQ) : Y341
Packing group : II
Labels : Flammable Liquids

14.5 Environmental hazards

ADR
Environmentally hazardous : yes

IMDG
Marine pollutant : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

IATA (Passenger)

Environmentally hazardous : no

IATA (Cargo)

Environmentally hazardous : no

14.6 Special precautions for user

No special precautions required.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P5c	FLAMMABLE LIQUIDS	5,000 t	50,000 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the	2,500 t	25,000 t

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

products referred to in
points (a) to (d)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 97.83 %
Remarks: VOC content excluding water

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.
H226 : Flammable liquid and vapour.
H304 : May be fatal if swallowed and enters airways.
H315 : Causes skin irritation.
H336 : May cause drowsiness or dizziness.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note P : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply. This note applies only to certain complex oil-derived substances in Part 3.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response;

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019

EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Flam. Liq. 2	H225
Skin Irrit. 2	H315
STOT SE 3	H336
Asp. Tox. 1	H304
Aquatic Chronic 2	H411

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Based on product data or assessment
Calculation method

This safety data sheet applies only to products originally packed and labelled by Chem-Trend. The information contained therein may not be reproduced or modified without the express written permission of Chem-Trend. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of Chem-Trend. Chem-Trend provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. Chem-Trend provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® 2185

Version	Revision Date:	Date of last issue: 12.05.2015	Print Date:
2.1	25.02.2019	Date of first issue: 12.02.2014	26.02.2019
