



## SAFETY DATA SHEET

Prepared according to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union Reach Regulation, Directives 67/548/EC & 1999/45/EC and CLP Regulation 1272/2008/EC

### 1. PRODUCT IDENTIFICATION

<b>TRADE NAME (AS LABELED):</b>	<b>FK#1000L Hi-Low Liquid Wax</b>
<b>PRODUCT CODE:</b>	FK#1000L
<b>PRODUCT USE:</b>	Mold Release Wax
<b>U.N. NUMBER:</b>	UN1268
<b>U.N. DANGEROUS GOODS CLASS:</b>	Petroleum Distillates n.o.s., (Solvent Naphtha), Class 3, PG III
<b>MANUFACTURER'S NAME: ADDRESS:</b>	<b>FINISH KARE PRODUCTS, INC</b> 1726 Floradale Ave. So. El Monte, CA 91733 USA
<b>BUSINESS PHONE:</b>	1-626-443-8983
<b>FAX#:</b>	1-626-443-0288
<b>EMERGENCY PHONE:</b>	1-800-535-5053 INFOTRAC (U.S.A. 24 Hours/Day) 1-352-323-3500 INFOTRAC (International Calls)
<b>DATE OF PREPARATION:</b>	July 16, 2015
<b>DATE OF LAST REVISION:</b>	February 12, 2015

### 2. HAZARD IDENTIFICATION

#### EMERGENCY OVERVIEW

**Product Description:** This product is a white solid paste wax with a hydrocarbon odor.

**Health Hazards:** Harmful if swallowed, aspiration hazard.

**Flammability Hazards:** Solid with a flash point of 135.9°F (57.77°C)

**Reactivity Hazards:** None known.

**Environmental Hazards:** The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

**Emergency Considerations:** Emergency responders must wear the proper personal protective equipment (and have appropriate fire-suppression equipment) suitable for the situation to which they are responding.

#### EU LABELING AND CLASSIFICATION:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

#### EU HAZARD CLASSIFICATION PER DIRECTIVE 1272/2008/EC:

##### Index Number:

EC# 265-191-7 Annex VI Index #: 649-405-00-X

EC# 265-199-0 Annex VI Index #: 649-356-00-4

EC# 202-436-9 Annex VI Index #: 601-043-00-3

EC# 203-604-4 Annex VI Index #: 601-025-00-5

EC# 202-704-5 Annex VI Index #: 601-024-00-X

EC# 215-535-7 Annex VI Index #: 601-022-00-9

Substances not listed either individually or in group entries must be self classified.

#### Component(s) Determining Hazards:

All Ingredients

#### GHS Classifications:

Flammable Solid Category 2

Aspiration Hazard Category 1

Skin Irritant Category 2

Eye Irritant Category 2

Acute Toxicity Category 4 (Inhalation)

Germ Cell Mutagenicity Category 1

Carcinogenicity Category 1

STOT RE Category 1 (CNS)

Aquatic Chronic 3

**Signal Word:** Danger!

#### Hazard Symbol:





## **SAFETY DATA SHEET**

### **Hazard Statement:**

H228: Flammable solid  
H304: May be fatal if swallowed and enters airways  
H315: Causes skin irritation  
H319: Causes serious eye irritation  
H332: Harmful if inhaled  
H340: May cause genetic defects  
H350: May cause cancer  
H372: Causes damage to organs through prolonged or repeated exposure  
H412: Harmful to aquatic life with long lasting effects

### **Prevention Statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P240: Ground/Bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting equipment  
P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P260: Do not breathe dust/fume/gas/mist/vapours/spray.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P271: Use only outdoors or in a well-ventilated area.  
P264: Wash thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P273: Avoid release to the environment.

### **Response Statement:**

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor  
P331: Do NOT induce vomiting.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P362+P364: Take off contaminated clothing and wash it before reuse.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/attention  
P308+P313: IF exposed or concerned: Get medical advice/attention.  
P314: Get medical advice/attention if you feel unwell.  
P391: Collect spillage.

### **Storage Statement:**

P405: Store locked up.

### **Disposal Statement:**

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

### **HEALTH HAZARDS OR RISKS FROM EXPOSURE:**

**SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:** The most significant routes of exposure for this product are by inhalation, skin contact, eye contact or ingestion.

#### **ACUTE:**

**INHALATION:** None anticipated under normal conditions.

**CONTACT WITH SKIN:** Repeated or prolonged contact may cause skin irritation.

**EYE CONTACT:** Contact may cause irritation to the eyes, resulting in redness or watering.

**INGESTION:** Aspiration hazard, may cause lung damage. Ingestion may cause gastrointestinal irritation with nausea and diarrhea.







**CHRONIC:** None known

**TARGET ORGANS:** **Acute:** Eyes, Skin, Respiratory System

**Chronic:** None Known

## SAFETY DATA SHEET

### 3. COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	AMOUNT	HAZARD SYMBOLS	HAZARD CLASSIFICATION
Solvent Naphtha - medium & Heavy aliphatic	64742-88-7/ 64742-96-7	265-191-7/ 265-200-4	5 - 65%		ASP. TOX. CAT 1, STOT RE 1
Solvent Naphtha - light	64742-95-6	265-199-0	<1.95%		ASP TOX 1, MUTA 1B, CARC 1B
1,2,4-trimethylbenzene	95-63-6	202-436-9	<1.56%		FLAM LIQ 3, SKIN IRRIT 2, EYE IRRIT 2, ACUTE TOX 4 (INHALATION), STOT SE3 (RESP), AQUATIC CHRONIC 3
Mesitylene	108-67-8	203-604-4	<0.39%		FLAM LIQ 3, STOT SE3 (RESP), AQUATIC CHRONIC 2
Cumene	98-82-8	202-704-5	<0.2%		FLAM LIQ 3, ASP TOX 1, STOT SE 3, AQUATIC CHRONIC 2
Xylene	1330-20-7	215-535-7	<0.2%		FLAM LIQ 3, ACUTE TOX 4 (DERMAL, INHALATION), SKIN IRRIT 2
Each of the other components is present in less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens)					

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR, EU Regulation 1272/2008 and the Japanese Industrial Standard *JIS Z 7250: 2000*.

### 4. FIRST-AID MEASURES

**EYE CONTACT:** If chemical contacts the eyes, open victim's eyes while under gentle running water. Use sufficient force to open eyelids. Have victim "roll" eyes. Minimum flushing is for 15 minutes. Remove contact lenses, if worn. Seek medical attention.

**SKIN CONTACT:** Wash contacted area with soap and water. Remove exposed or contaminated clothing, taking care not to contaminate eyes. Seek medical attention if irritation develops and persists.

**INHALATION:** If chemical is inhaled, or breathing is difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

**INGESTION:** If chemical is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Victims of chemical exposure must be taken for medical attention. Rescuers should be taken for medical attention, if necessary. Take a copy of the label and MSDS with the victim to the health professional.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Persons with pre-existing skin disorders, eye problems, and impaired respiratory function may be more susceptible to the effects of the substance.

**RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and eliminate overexposure.







## **SAFETY DATA SHEET**

**SUSPECTED CANCER AGENT:** Components of this product are listed by agencies tracking the carcinogenic potential of chemical compounds:

- Naphtha CAS# 8030-30-6 (contains Benzene)
- IARC: 1 - Group 1: Carcinogenic to humans (Benzene)
- NTP: Known to be human carcinogen (Benzene)
- Cumene CAS# 98-82-8
- IARC: 2B - Group 2B: Possibly Carcinogenic to humans (Cumene)

**IRRITANCY OF PRODUCT:** This product may be irritating to eyes and skin.

**SENSITIZATION TO THE PRODUCT:** None known

**REPRODUCTIVE TOXICITY INFORMATION:** Listed below is information concerning the effects of this product and its components on the human reproductive system.

- Mutagenicity: Components of this product are reported to produce mutagenic effects in humans.
- Embryotoxicity: The components of this product are not reported to produce embryotoxic effects in humans.
- Teratogenicity: The components of this product are not reported to produce teratogenic effects in humans.
- Reproductive Toxicity: The components of this product are reported to produce reproductive effects in humans.

### 12. ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**TOXICITY:**

1,2,4-trimethylbenzene	95-63-6	LC50 – 7.72 mg/l – 96h	Fathead minnow
Cumene	98-82-8	LC50 – 4.8 mg/l – 96h	Rainbow trout
Mesitylene	108-67-8	LC50 – 12.52 mg/l – 96h	Goldfish

**MOBILITY IN SOIL:** No Data

**PERSISTENCE/DEGRADABILITY:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**ENVIRONMENTAL STABILITY:** Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways

**BIOACCUMULATION/ACCUMULATION:** These products have not been tested for bio-accumulation potential.

**WATER ENDANGERMENT CLASS:** Not Established

### 13. DISPOSAL CONSIDERATIONS

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

**EU Waste Code:** Not Listed

### 14. TRANSPORTATION INFORMATION

**US DOT, IATA, IMDG:**

**DOT (Department of Transportation):** UN1325, Flammable Solid, n.o.s. (contains Solvent Naphtha), Class 4.1, Packing Group III

**Special Notes:** Components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

**IATA (International Air Transport Association):** UN1325, Flammable Solid, n.o.s. (contains Solvent Naphtha), Class 4.1, Packing Group III Flash Point: 135.9°F (57.77°C)

**IMDG (International Maritime Dangerous Goods):** UN1325, Flammable Solid, n.o.s. (contains Solvent Naphtha), Class 4.1, Packing Group III



## SAFETY DATA SHEET

### 15. REGULATORY INFORMATION

#### **UNITED STATES REGULATIONS:**

##### **SARA REPORTING REQUIREMENTS**

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

**SECTION 302 (RQ):** None

**SECTION 302 (TPQ):** None

**SECTION 313:** 1,2,4-trimethylbenzene CAS# 95-63-6, Cumene CAS# 98-82-8, Xylene CAS# 1330-20-7

##### **TSCA**

All components in this product mixture are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

**SARA 311/312:** Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity: No

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** Cumene CAS# 98-82-8 5,000 lbs  
Xylene CAS#1330-20-7 100 lbs

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** This product does contain a component above the 0.1% level which is listed as a California Proposition 65 chemical.

Cumene CAS# 98-82-8

Naptha CAS# 64742-95-6 (contains Benzene)

#### **CANADIAN REGULATIONS:**

**CANADIAN DSL/NDL INVENTORY STATUS:** All of the components of this product are on the DSL Inventory.

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** No component of this product is on the CEPA First Priorities Substance Lists.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** This product has been classified per WHMIS 2015 standards

#### **EU HAZARD INFORMATION:**

See section 2 for details

#### **AUSTRALIAN INFORMATION FOR PRODUCT:**

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS:** All components of this product are listed on the AICS or exempt.

**STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS:** Not applicable.

#### **JAPANESE INFORMATION FOR PRODUCT:**

**JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:** The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

#### **INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

Swiss Giftliste List of Toxic Substances: Listed

U.S. TSCA: Listed



## **SAFETY DATA SHEET**

### **16. OTHER INFORMATION**

**PREPARED BY:** Chris Eigbrett

MSDS to GHS Compliance

**DATE:** July 16, 2015

All chemicals may pose unknown hazards and should be used with cautions. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, FINISH KARE PRODUCTS, INC assumes no responsibility for the completeness or accuracy of the information contained herein. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and protection of the environment

#### **ABBREVIATIONS AND ACRONYMS:**

ARD: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

**End of SDS Sheet**