


# MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

|   |               |              |                |                           |                        |                 |      |       |
|---|---------------|--------------|----------------|---------------------------|------------------------|-----------------|------|-------|
|  <b>巨石集团有限公司</b><br><b>JUSHI GROUP CO., LTD.</b> |               |              |                |                           | Standard Code          | J125-01         |      |       |
|   |               |              |                |                           | Reolaced Standard      | Q/JS J0520—2010 |      |       |
|   |               |              |                |                           | Main Drafter           | hantao          |      |       |
|   |               |              |                |                           | Assessor               | Kong Jianwei    |      |       |
| Version   | Modifi-cation | Release Date | Implement Date | Modify The Implement Date | Standardization Censor | liziqian        |      |       |
| NO.3  | NO.0          | 2012-3-8     | 2012-3-8       | /                         | Ratifier               | Chen Jiming     | Date | 03-07 |

## SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

### CHEMICAL PRODUCT IDENTIFICATION:

Continuous Glass Fiber Products, Including Assembled Roving, Direct Roving, Dry Chopped Strands, Wet Chopped Strands, Woven Roving, Stitch Chopped Strand Mat, Power Chopped Strand Mat, Emulsion Chopped Strand Mat , Stitch Combo Mat, Woven Roving Combo Mat, Glass Filament Yarn, Marketable Cake, Cut Strands, Texturized Yarn.

### MANUFACTURER INFORMATION:

JUSHI GROUP CO., LTD.

NO.669Wenhua Rd.(S.), Tongxiang Economic Development Zone, Zhejiang 314500, China

#### FAX NUMBER

Customer Service: +86-573-88181388

International Sales: +86-573-88181058

Domestic Sales: +86-573-88136222

**COMPANY EMERGENCY TELEPHONE:** (8:30-16:40 In BeiJing, from Monday to Saturday )

Customer Service: +86-573-88136367

International Sales: +86-573-88181025

Domestic Sales: +86-573-88181016

**E-mail:** [services@jushi.com](mailto:services@jushi.com)

#### Jushi Spain, S.A.

Avd. de Barajas, 24. Planta 2. (Edificio Gamma, Parque Empresarial Omega). C.P 28108. Alcobendas (Madrid) Spain

## MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

---

TELEPHONE: 0034 917678817

FAX NUMBER: 0034 917678818

**E-mail:** [nicanor.amor@jushispain.com](mailto:nicanor.amor@jushispain.com)

### **Jushi(India) FRP Accessories Private Limited**

310 CREATIVE INDUSTRIAL ESTATE N/M. JOSHI MARG MUMBAI 420011 India

TELEPHONE: 0091 224 033 5375/ 224 033 5333

FAX NUMBER: 0091 224 033 5334

**E-mail:** [vishal@jushifrp.com](mailto:vishal@jushifrp.com)

### **Jushi Group Sinosia SA Composite Materials**

4/65 Nerl Hare Road, Atlantis Industrial 7350, Capetown, South Africa

TELEPHONE: 27 21 5772747/00852 2541 1114

FAX NUMBER: 27 21 5772727

**E-mail:** [w\\_w9@mweb.co.za](mailto:w_w9@mweb.co.za) / [info@jushisinosa.co.za](mailto:info@jushisinosa.co.za)

### **Jushi Italy SRL**

VIA ADIGE 10/12 21043 CASTIGLIONE OLONA (VA)

TELEPHONE: 0039 0331857918

FAX NUMBER: 0039 0331825521

**E-mail:** [essebi@jushiitaly.it](mailto:essebi@jushiitaly.it)

### **Jushi Canada Fiberglass Co., Ltd.**

Markham, Toronto Canada

TELEPHONE: 001 9054777628

FAX NUMBER: 001 9054776047

**E-mail:** [a.gardiner@jushicanada.com](mailto:a.gardiner@jushicanada.com)

### **JUSHI France SAS**

65 RUE DU DAUPHINE 69800 SAINT-PRIEST France

TELEPHONE: 33 4 72 78 20 48/33 (0) 4 7278 20 62

**MATERIAL SAFETY DATA SHEET**

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

FAX NUMBER: 33 4 72 78 20 41

**E-mail:** [fabrice.bani@jushi.fr](mailto:fabrice.bani@jushi.fr)**JUSHI SINGAPORE PTE. LTD**

10 UBI CRESCENT, #05-70 (LOBBY D)UBI TECHPARK, SINGAPORE 408564

TELEPHONE: 65 67425118

FAX NUMBER: 65 6742 7108

**E-mail:** [hsseng@jushi.com](mailto:hsseng@jushi.com)**HELM AG Hamburg**

Nordkanal Strasse 28 D-20097 Hamburg Germany

TELEPHONE: 49 40 2375 1330

FAX NUMBER: 49 40 2375 1845

**E-mail:** [e.kloevekorn@helmag.com](mailto:e.kloevekorn@helmag.com)**Gibson Enterprises, Inc. DBA JUSHI USA**

4982 4th Street Irwindale,CA 91706 U.S.A.

TELEPHONE: (626) 960-2038

FAX NUMBER: (626) 960-2037

**E-mail:** [alan.gardiner@jushiusa.com](mailto:alan.gardiner@jushiusa.com)

If you couldn't contact one of them, please call the company emergency telephone.

**MSDS NUMBER:**

Q/JS J0520

**EFFECTIVE DATE:**

March 8, 2012

**SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS****Ingredients of Products:**

| Product Name     | Glass, %  | Size, %   | Binder, % | Water, % |
|------------------|-----------|-----------|-----------|----------|
| Assembled Roving | 98.0~99.5 | 0.05~1.80 | /         | 0~0.20   |

## MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

|                             |             |           |         |          |
|-----------------------------|-------------|-----------|---------|----------|
| Direct Roving               | 98.7~99.85  | 0.15~1.10 | /       | 0~0.20   |
| Dry Chopped Strands         | 98.25~99.9  | 0.10~1.65 | /       | 0~0.10   |
| Wet Chopped Strands         | 87.8~92.0   | 0~0.20    | /       | 8.0~12.0 |
| Woven Roving                | 98.8~99.85  | 0.15~1.00 | /       | 0~0.20   |
| Power Chopped Strand Mat    | 92.45~98.35 | 0.35~1.35 | 1.3~6.0 | 0~0.20   |
| Emulsion Chopped Strand Mat | 93.05~96.65 | 0.35~1.35 | 3.0~5.4 | 0~0.20   |
| Glass Filament Yarn         | 98.6~99.2   | 0.80~1.20 | /       | 0~0.20   |
| Cut Strands                 | 85~92       | /         | /       | 8.0-15.0 |
| Marketable Cake             | 99.2~99.7   | 0.30~0.60 | /       | 0~0.20   |
| Texturized Yarn             | 99.2~99.9   | 0.10~0.60 | /       | 0~0.20   |

### CAS No.:

Fiber glass: 65997-17-3

Size: N/A

### Size :

Size is a mixture of chemicals applied to the glass strands. Most of this mixture is made up of basically non reactive high molecular weight polymers, often natural ingredients (starches) with no reactive sites, which are not listed as substances in the EINECS nor in the ELINCS appendices.

Sometimes size maybe also contain substances of organo-silane family or other substances. The manufacturer considers this risk as negligible as, even though listed as dangerous products, the concentration is extremely low (under 0.1% of total weight) and they are polymerised during the production of glass fibers production.

## SECTION 3 – HAZARDS IDENTIFICATION

With regard to its composition, these products are articles and not classified as hazardous according to European Directive 67/548/EEC and 99/45/EC and ST/SG/AC.10/30/Rev.2 and their latest amendments.

### Classification of Hazards:

No information available.

### Routes of Entry:

Ingestion, inhalation, skin and eye contact.

### Health Effects:

Ingestion: Ingestion of the material is unlikely. However, ingestion of the material

## MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

may cause gastrointestinal disturbance.

Inhalation: Breathing fiberglass dusts and particulates may cause irritation of the nose, throat and respiratory tract.

Skin contact: Fiberglass dusts and particulates may cause temporary irritation.

Eye contact: Fiberglass dusts and particulates may cause temporary irritation to the eyes.

### Environmental Effects:

Long-term exposure to fiberglass environment may cause temporary effects.

### Inflammation and Explosion Hazards:

No information available.

## SECTION 4 – FIRST-AID MEASURES

### Skin Contact:

If irritation occurs to the skin, rinse with soap and water. Make sure to refrain from rinsing with warm water since warm water will make the skin pores open to allow fiberglass to penetrate more deeply. If fiberglass penetrates the skin, use a wash cloth to help pull out the fiberglass. To avoid further irritation, do not rub or scratch affected skin. If irritation persists, get medical help. Make sure to refrain from using compressed air to remove fiberglass from the skin.

### Eye Contact:

Immediately flush eyes with clean water for at least 15 minutes. If irritation persists, get medical help.

### Inhalation:

If inhaled, immediately remove the affected person to fresh air. If irritation persists, get medical help.

### Ingestion:

Normally, ingestion of this material is unlikely. If it does occur, watch the person for several days to make sure that gastrointestinal disturbance does not occur. Do not let the person vomit unless required by medical personnel. If disturbance persists, get medical help.

## SECTION 5 – FIRE-FIGHTING MEASURES

### Flammability Classification:

Non-flammable. But the size and packing material may burning.

## MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

### Hazardous Combustion Products:

Primary combustion products are carbon monoxide, hydrogen, carbon dioxide and water. Other undetermined compounds can be released in small quantities.

### Fire-Fighting Methods:

Use dry chemical, foam, carbon dioxide and water as extinguishing media.

### Fire-Fighting Instructions:

Fire fighters must use self-contained breathing apparatus and wear full protective gear.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

In case of release to land, the material should be scooped up as waste and put into a special container and stored in a designated area. In case of release of water, the material will sink and disperse along the bottom of waterways or ponds and can not be easily removed after it is waterborne. However, the material is non-hazardous in water.

## SECTION 7 – HANDLING AND STORAGE

### Handling:

Try to prevent the packing material from be damaged and keep the product inside the packing material to minimize the generation of dusts. Maintain a clean work environment and avoid generation of fiberglass fragments from improper handling.

### Storage:

Keep product in its packaging until use to minimize potential dust generation.

## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

### Highest Permissible Concentration:

National and international hygiene standards are as follows:

| Component               | Permissible Exposure Limit of OSHA<br>(8-hr Average Weight ) | Permissible Exposure Limit of ACGIH<br>(8 hr Average Weight ) |
|-------------------------|--|---|
| Total Dust              | 15 mg/m <sup>3</sup>   | 10 mg/m <sup>3</sup>  |
| Respirable particulates | 5 mg/m <sup>3</sup>  | 3 mg/m <sup>3</sup>   |

## MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

|                  |   |            |
|------------------|---|------------|
| Respirable Fibre | / | 1 fibre/ml |
|------------------|---|------------|

**Engineering Control:**

Production areas are closed off and a required relative humidity is maintained.

**Respiratory Protection:**

Wear a suitable mask when working in an environment where dust concentration is high.

**Eye Protection:**

Wear safety glasses and face shield.

**Body Protection:**

Normal loose working clothing (long-sleeved shirts and long pants) is recommended. Skin irritation occurs primarily at the contact areas such as around the neck and waist.

**Hand Protection:**

Wear gloves. Skin irritation occurs primarily at the contact areas such as wrists and between the fingers.

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**Product Appearance and Properties:**

White or off-white solid; No odor.

**Flash Point:**

Not applicable

**pH Value:**

Not applicable.

**Ignition Temperature:**

Not applicable

**Melting Point:**

>800°C.

**Explosion Upper Limit:**

Not applicable

**Boiling Point:**

Not applicable.

**Explosion Lower Limit:**

Not applicable

**Relative Density:**

2.6 Times that of water.

**Solubility (in Water):**

Insoluble

**Relative Vapor Density:**

Not applicable

**Product Use:**

Fiberglass is an inorganic nonmetal material and is used as Plastics reinforcement and acoustical insulation.

## MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

### SECTION 10 – STABILITY AND REACTIVITY

**Stability:**

This is a Stable material.

**Materials to Avoid:**

None.

**Conditions to avoid:**

None.

**Hazardous Polymerization**

Will not occur.

### SECTION 11 – TOXICOLOGICAL INFORMATION

**Acute Toxicity:**

None.

**Irritability:**

Fiberglass dusts may cause irritation to skin and eye. Ingestion of fiberglass may cause irritation to the throat, stomach and gastrointestinal tract. Inhalation may cause coughing, sneezing and nose and throat irritation. Experience indicates that inhalation of a large amount of fiberglass may cause difficulty in breathing, congestion and chest tightness.

**Carcinogenicity:**

The International Agency for Research on Cancer (IARC), agency of the World Health Organization (WHO), has determined that fiberglass is a non-carcinogenic material because the evidence is inadequate to prove that fiberglass can cause humans and experimental animals to develop cancer.

### SECTION 12 – ECOLOGICAL INFORMATION

No data available for this product. Fiberglass products are not listed as a material harmful to animals, plants and fish.

### SECTION 13 – DISPOSAL CONSIDERATIONS



# MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

**RCRA Hazard class:**

Non-hazardous.

**Disposal Instructions:**

Dispose waste material according to local environmental regulations.

## SECTION 14 – TRANSPORT INFORMATION

**Classification and Code of Hazards:**

None.

**UN Code:**

None.

**Packing Mark:**

None.

**Packing Category:**

None.

**Packing Method:**

None.

**Transport Instructions:**

Rolling and moisture should be avoided in transit.

## SECTION 15 – REGULATORY INFORMATION

**SARA title III:****Hazard categories:**

|                    |     |
|--------------------|-----|
| Acute health:      | Yes |
| Chronic health:    | No  |
| Fire hazard:       | No  |
| Pressure hazard:   | No  |
| Reactivity hazard: | No  |

**Reportable ingrediedients:**

|              |      |
|--------------|------|
| Sec.302/304: | None |
|--------------|------|

## MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

DATE PREPARED: 2012-3-8

MSDS Number: Q/JS J0520-2012

Sec.313:

None

**Clean Air Act:**

No ingredient is listed.

**WHMIS(Canada) Status:**

No controlled.

**WHMIS classification(s):**

None.

**National chemicals inventories**

Based on the rules enforced with regards to the marketing and use of chemicals in countries where our Jushi products are manufactured, each chemical ingredient of these finished products has to be listed on the National Chemicals Inventory of the specific country where produced.

However, glass fiber products are articles under the chemicals inventories listed below and consequently are exempt from listing on these inventories:

- The European Inventory of Existing Chemical Substances: EINECS/ELINCS,
- The US EPA Toxic Substance Control Act: TSCA,
- The Canadian Chemical Registration Regulations: NDSL/DSL,
- The Japanese Chemical Substances Control Law under METI: CSCL,
- The Australian Inventory of Chemical Substances: AICS,
- The Philippine Inventory of Chemicals and Chemical Substances: PICCS,
- The Korean Existing Chemicals List: (K)ECL and
- The Chinese List on New Chemical Substances.

**SECTION 16 – OTHER INFORMATION****Preparation Date:**

March 2012

**Prepared by:**

Quality Assurance Dept. , Jushi Group Co., Ltd.

**Data Verified by:**

Assistant To President of Jushi Group Co., Ltd

**Modification Information:**

Second Version